


J. PETANDER
VELOCIPEDAFFÄR

WASA

TELEFON 429



A.-B. FRAMS TRYCKERI, WASA, 1931.

Axlar till vevparti med konor V. K. C.	per st.	Fmk	21:-
" "	"	"	"	"	Exelsior	.	.	.	"	"	20:-
" "	"	"	"	"	Stoever	.	.	.	"	"	20:-
" "	"	"	"	"	Viktoria	.	.	.	"	"	22:-
" "	"	"	"	"	Universal	.	.	.	"	"	18:-
" "	"	"	"	"	ringlager	.	.	.	"	"	50:-
" "	frinav	utan	"	"	N. S. U.	.	.	.	"	"	6:-
" "	"	"	"	"	Torpedo	.	.	.	"	"	5:-
" "	"	"	"	"	Rotax	.	.	.	"	"	4:-
" "	"	"	"	"	N.-D.	.	.	.	"	"	3:-
" "	framnav	"	"	"		.	.	.	"	"	1: 25
" "	"	med	"	"		.	.	.	"	"	5:-
" "	"	"	"	"	Rotax	.	.	.	"	"	4:-
Barnsadlar av ståltråd att fästa på ramen									"	"	18:-
Byxfästen med rulle									"	par	1:-
" Matador									"	"	—: 90
Ekrar , rostfria, med $\frac{1}{2}$ " nippel, per 100 st.									"	"	16:-
" " $\frac{7}{8}$ " " " " "									"	"	18:-
" förstärkta " " $\frac{1}{2}$ " " " "									"	"	
Pallas									"	"	22:-
" förstärkta, rostfria, med $\frac{1}{2}$ " nippel, svenska									"	"	28:-
Emaljack , svart									per burk	"	3:-
" kulört									"	"	3: 50
Elektriska lampor , Airam, 5—40 ljus									st.	"	8: 50
" " Osram, 5—32 ,									"	"	8: 50
" " S, 4 volt, ficklamps									"	"	1: 10
" strålkastare, Triola									"	"	40:-
Ficklampshylsor , med stor lins									"	"	6: 50
" flaskform									"	"	8: 50
" cylinderform									"	"	6: 50
Ficklampsbatterier , Hellesen									"	"	4:-
" tyska									"	"	3: 25
Frinav , Banco									"	"	88:-
" Torpedo									"	"	87:-

Frinav, Rotax	per st.	Fmk	78:—
,, N. S. U.	„	„	„	76:—
,, N.-D.	„	„	„	87:—
Framnav, Banco	„	„	„	23:—
,, E. H.	„	„	„	12: 50
Frinavsdelar, N.-D.:																
Navhylsa	A	1	„	„	„	30:—	
Drivare	„	2	„	„	„	12:—	
Gripkona	„	3	„	„	„	6: 50	
Axel	„	4	„	„	„	3:—	
Stoppmutter för kedjekr.	„	5	„	„	„	5:—	
Bromskona	„	6	„	„	„	7:—	
Justerkona	„	7	„	„	„	2: 50	
Broms-skiva	„	8	„	„	„	10: 50	
Bromsarm	„	10	„	„	„	7:—	
Bromsband med skruv	„	11	„	„	„	1: 50	
Gripkon-fjäder	„	12	„	„	„	2: 50	
Kulkrans med kulor, större	„	16	„	„	„	2: 50	
,, „ „ mindre	„	16	„	„	„	2:—	
N. S. U.-delar:																
Axel	N:o	200	„	„	„	6:—	
Bromsarm	„	204	„	„	„	5: 50	
Bromsband med skruv	„	206	„	„	„	2:—	
Dammtätningsmutter	„	209	„	„	„	6:—	
Kulkrans, större	„	212	„	„	„	4:—	
,, mindre	„	223	„	„	„	3:—	
Bromskona, ytter	„	213	„	„	„	12: 75	
,, inre	„	214	„	„	„	9: 50	
Broms-fjäder	„	214	„	„	„	2:—	
Bromsbackor	„	215	„	„	„	10:—	
Gripkona	„	219	„	„	„	8:—	
Navhylsa	„	220	„	„	„	30:—	
Drivare	„	222	„	„	„	23:—	
Kedjehjuls-kontramutter	„	219	„	„	„	5:—	
Justerkona med kulkrans	„	227	„	„	„	7: 50	
Kedjehjul	„	236	„	„	„	8:—	
Framgafflar, Coppels	„	„	„	„	„	36:—	
,, Ideal	„	„	„	„	„	32:—	
Gummiringar, Michelin yttringer, kanttråd	„	„	„	„	„	31:—	
,, „ „ „ Vulst	„	„	„	„	„	36:—	
,, Nokia „ kanttråd	„	„	„	„	„	30:—	
,, Continental „ Vulst	„	„	„	„	„	41:—	
,, Michelin inrering	„	„	„	„	„	13:—	

Gummiringar, Nokia inrering			per st.	Fmk	13:—
" Hevea	"		"	"	11:—
" Mobile	"		"	"	10: 50
Gummiplatta för inreringlappning på askar			"	"	6:—
" " " " rullar	"		"	"	5:—
Gummilappar, Rustines i påsar på duss.			"	"	2: 25
" " " " 1 st.	"		"	"	3:—
" Fixkvick	,,	,,	"	"	2:—
Gummerat, kanvas, för yttreringlappning, dm ²			"	"	—: 50
Ventilgummi			"	kg.	200:—
" " " " " "	"	mtr.	"	"	1: 50
Handtag, svenska, med trätappar			"	par	7:—
" cel. Dräng	"		"	"	6: 25
" " med nickelhålk	"		"	"	4: 25
" " " " " "	"		"	"	2: 50
" gummi, Avon	"		"	"	6: 50
" " Conti	"		"	"	4: 50
" lädervir.	"		"	"	4: 25
Karbid å 100 kg. trumlar			"	kg.	3: 50
" 25 "	"		"	"	4:—
" 1 " burkar	"		"	"	6: 50
" ½ " " " " " "	"		"	"	5:—
Kattögon, (Reflexglas), torped modell, av messing			"	st.	3: 75
" " " " aluminium	"		"	"	3: 50
" " flata, stålkant	"		"	"	2: 25
" " " med stoppglas	"		"	"	3:—
Keder, Diamond, amerik.			"	"	25:—
" Pallas, tyska	"		"	"	14:—
" Union, "	"		"	"	15:—
" Brampton, Aplepy, Coventry, engelska	"		"	"	22:—
Kedjesträckare			"	par	1: 50
Kedjehjul till vevlager			"	st.	20:—
" " Rotax, Banco, Torpedo, frinav	"		"	"	7:—
" " N.-D., blankförförnick.,	"		"	"	9:—
" " matt "	"		"	"	7:—
Kedjeskydd av aluminium för damvelocipeder, svenska			"	"	36: 50
" " " herr-	"		"	"	18:—
" " " dam-	"	tyska	"	"	34:—
" " " herr-	"	"	"	"	16:—
" " cel. & stålplåt dam-	"	"	"	"	22:—
" " " " "	"	"	"	"	16:—
" " " herr-	"	"	"	"	7: 50

Kjolnät , filigran, tätvälda	per par	Fmk	12:—
" " "	"	"	10:—
" " metallinslag	"	"	11:—
" inhemska "	"	"	7:—
Klockor (signal), med firmanamn, metallkl.	stålklang	st.	10: 50
" "		"	4:—
Kulor 1/s		gross	3: 50
" 5/32	"	"	4: 50
" 3/16	"	"	5: 75
" 7/32	"	"	7:—
" 1/4	"	"	8:—
" 9/32	"	"	11: 50
" 5/16	"	"	14:—
" 3/8	"	"	20:—
Kulkransar till vevlager med kulor	st.	"	2: 50
" " utan "	"	"	1: 50
" " N.-D. frinav med kulor	"	"	2:—
" " utan "	"	"	1:—
" " gaffellager med "	"	"	2:—
" " utan "	"	"	1:—
" " framnav med "	"	"	1: 25
" " utan "	"	"	—: 75
Lagersatser till framgaffeln, kompl., Bismarck	sats	"	15:—
" " " " J:son	"	"	12:—
Lagerskålar till vevp., Stower	st.	"	8:—
" " " V. K. C	"	"	6:—
" " " Exelsior	"	"	6:—
Lykthållare , långa, Pallas	"	"	2: 25
" korta "	"	"	1: 25
" långa till solarlykta	"	"	8: 50
Lyktor , karbid, solar	"	"	62:—
" " Torped, ny modell	"	"	57:—
" " "	"	"	48:—
" " magnet, Radsone	"	"	115:—
" " Riemann	"	"	125:—
" " Berko	"	"	125:—
" " Bosch	"	"	127:—
Lyktglas till carbidlyktor, enkla	"	"	2:—
" " " lins	"	"	8:—
Lyktbrännare , förgrenade, stora	"	"	2:—
" " mindre	"	"	1: 75
" " enkla stora	"	"	2:—
" " mindre	"	"	1:—
Lås med ked, Cemon, mindre	per st.	Fmk	4:—

Lås med ked, Cemon, större	per st.	Fmk	5: 50
" " " Hj. "	" "	"	6: 50
Muttrar till bakhjulaxeln	" "	"	—: 60
" " framhjulaxeln	" "	"	—: 50
" " sadelunderställ	" "	"	—: 40
Oljekannor av bleckplåt	" "	"	1: 25
Pakethållare , Pallas rör	" "	"	15: —
" " plåt	" "	"	13: —
" svenska	" "	"	12: —
Pedaler , Brampton klotz	par	"	25: —
" Uebemann " förkr.	" "	"	26: —
" " " förnickl.	" "	"	20: —
" " " " "	" "	"	15: —
" Luck " " "	" "	"	15: 50
" Union " " "	" "	"	16: —
" Ideal " " "	" "	"	16: —
Pumpar av messing, förnickl. 15"	st.	"	8: 50
" " " 12"	" "	"	8: —
" " stålpl., " 15" med träskafte	" "	"	6: 50
" " " " 15" fotpump	" "	"	11: 50
Pumpslang med nipplar, till handpump	" "	"	1: 50
" " " " franska	" "	"	2: —
" i längder " " "	mtr	"	5: —
" " " " fot- "	" "	"	10: —
Pumpnippilar , till fotpump	st.	"	3: —
" Dunlop, till handpump	" "	"	4: —
Pumpläder	" "	"	—: 25
Ramar , svenska, herr, Lindblads	" "	"	385: —
" " dam, "	" "	"	415: —
" tyska Faub., herr, Bismarck	" "	"	345: —
" " " " dam, "	" "	"	365: —
" " klockl., herr, "	" "	"	270: —
" " " " dam, "	" "	"	290: —
" " " " herr, Hannover	" "	"	250: —
" " " " dam, "	" "	"	260: —
Reparationsaskar	" "	"	3: —
Sadlar , pumpfj. med skena, Veleda	" "	"	55: —
" " " Lepper	" "	"	55: —
" " " flattråd "	" "	"	53: —
" " " rundtråd "	" "	"	39: —
Sadelfiltar , stoppade plysch, Torsl.	" "	"	14: —
" " Claes	" "	"	10: 25
" " "	" "	"	8: —
" sammet inh.	" "	"	8: 50

Sadelfjädrar , spiral, bakre	per st.	Fmk	3:—
" " fram	"	"	5:—
Sadelstolpe , förnickl.	"	"	10:—
Skenor , stål, dubbla, svarta med grå linjer	"	"	31:—
" " enkla i sorterade färger	"	"	22:—
" " belg.	"	"	20:—
" " trä , bruna med svarta linjer	"	"	20:—
Skenband runda	"	"	1: 25
Skyddare , stål med sidstycke i sort färger, herr	"	par	22:—
" " " " " dam	"	"	23:—
" " " " " herr	"	"	18:—
" " " " " dam	"	"	19:—
" " " " " trä, i sort. färger utan stag, herr	"	"	10: 50
" " " " " dam	"	"	12: 50
Skärmstag , förnickl., utan skruvar	"	"	2: 75
" " till stålskyddare, med tillbehör	"	"	3: 50
Skruvnycklar , Verjoux, ställbara	"	st.	8: 75
" Bacco 6" "	"	"	12:—
" " 8" "	"	"	16:—
" Hjort, blankt förnickl.	"	"	6:—
" 8 häls klumpnycklar	"	"	2: 50
" 13 " flat- "	"	"	2: 25
Skravar till sadelstolpe 45 m/m	"	"	1: 75
" " styrvinkel 35 "	"	"	1: 50
" " gaffelkrona 40 "	"	"	—: 50
" " sadelfästet med muttrar	"	"	1: 75
" " förening av sadelfjäder med mutter	"	"	—: 50
" " skyddare 16 m/m	"	"	—: 20
" " " 30 "	"	"	—: 25
" " spännskruv till sadeln	"	"	—: 50
Styr örror , svenska	"	"	23:—
" " vinkelstam "	"	"	24:—
" " rakstam "	"	"	18: 50
" " örror Uebermann	"	"	16:—
" " vinkelstam "	"	"	18: 50
" " rakstam "	"	"	15:—
Verktygsväskor , svensk modell, herr o. dam	"	"	18:—
inhemska	"	"	15:—
Ventiler till inreringar, Dunlop	"	"	2:—
Ventilhattar med ked	"	"	—: 60
Ventilgummi	"	mtr	1: 50
Vägmätare	"	st.	20:—
Väg- och hastighetsmätare	"	"	75:—