


SEIBERLING

HINNASTO – PRISLISTA

N:o 11

10. 5. 1932



TUKKUVARASTO:

PARTINEDERLAG:

AUTOLA Oy.

HELSINKI – HEIKINKATU 9

H:FORS – HENRIKSG. 9

PUH.: 26 243, 22 766, 23 480

TEL.: 26 243, 22 766, 23 480



SEIBERLING

MATALAPAINERENKAAT
LÄGTRYCKSRINGAR



Koko Dimension	Tavall. Standard	Double Service	Special Service	Sisäreng. Slang	Sarja Serie
4.40—21	705: —	—	—	130: —	B
4.50—20	730: —	925: —	1090: —	130: —	A
4.50—21	750: —	975: —	1130: —	130: —	B
4.75—19	800: —	1010: —	—	156: —	—
4.75—20	810: —	1040: —	—	130: —	A
4.75—21	835: —	—	—	130: —	B
5.00—19	860: —	1140: —	1290: —	150: —	C
5.00—20	905: —	1190: —	1325: —	173: —	D
5.00—21	945: —	1235: —	1375: —	187: —	E
5.25—18	980: —	1215: —	1490: —	187: —	—
5.25—19	1005: —	1260: —	1525: —	150: —	C
5.25—20	1040: —	1290: —	1555: —	173: —	D
5.25—21	1075: —	1320: —	1600: —	187: —	E
5.50—17	1080: —	1340: —	—	192: —	F
5.50—18	1100: —	1365: —	1545: —	192: —	F
5.50—19	1135: —	1400: —	1640: —	197: —	G
5.50—20	1150: —	1450: —	1745: —	213: —	H
6.00—17	1175: —	1390: —	—	192: —	F
6.00—18	1185: —	1420: —	1830: —	192: —	F
6.00—19	1220: —	1495: —	1855: —	197: —	G
6.00—20	1265: —	1520: —	1895: —	213: —	H
6.00—21	—	1550: —	—	213: —	H
6.00—23	—	—	2000: —	300: —	—
6.50—17	—	1665: —	—	300: —	S
6.50—18	—	1675: —	2020: —	300: —	S
6.50—19	—	1700: —	2090: —	309: —	—
6.50—20	—	1720: —	2130: —	317: —	—
7.00—18	—	1790: —	2205: —	300: —	—
7.00—19	—	1865: —	—	309: —	—
7.00—20	—	1890: —	2340: —	317: —	I
7.00—21	—	1965: —	—	317: —	I
Minimi ilmanp.	2.25	2.5	2.5	Minimilufttryck	



SEIBERLING

JÄTTILÄISMATALAPAINES
RENKAAT

JÄTTEBALLONGRINGAR

SPECIAL SERVICE

BUS & TRUCK CORDS



Koko Dimension	Special Service	Sisärengas Slang	Vanne Fälg
6.00-20 (32 × 600)	1590: —	213: —	20/5
6.50-20 (32 × 650)	2090: —	317: —	20/5
7.00-20 (32 × 675)	2855: —	317: —	20/5
7.50-20 (34 × 750)	3360: —	465: —	20/6
8.25-20 (36 × 825)	4565: —	575: —	20/7
9.00-20 (38 × 900)	5505: —	629: —	20/7
9.75-20 (38 × 975)	7070: —	790: —	20/8
10.50-20(40 × 1050)	7905: —	910: —	20/8-9

ILMANPAINETAULUKKO
KUORMA- JA LINJAVAUNUJA VARTEN
LUFTRYCKTABELL
FÖR LAST- OCH LINJEVAGNAR

Matalapaine- renkaat Lågtrycks- ringar	Minimipaine ilmak. Minimi- luftryck	Korkeapaine- renkaat Högtrycks- ringar	Minimipaine ilmak. Minimi luftryck	Korkeapaine- renkaat Högtrycks- ringar	Minimipaine ilmak. Minimi luftryck
600—20	3.25	30 × 5	5.50	36 × 8	8.00
650—20	3.50	33 × 5	5.50	40 × 8	8.00
700—20	4.00	32 × 6—5"	5.75	38 × 9	8.50
750—20	4.00	32 × 6	6.50	42 × 9	8.50
825—20	4.25	36 × 6	6.50	40 × 10	9.50
900—20	4.50	32 × 7	7.00	44 × 10	9.50
975—20	5.00	34 × 8	7.00	—	—
1050—20	5.25	38 × 7	7.00	—	—



SEIBERLING

KORKEAPAINERENKAAT
HÖGTRYKSRINGAR



Koko Dimension	Special Service	Sisärengas Slang	Vanne Fälg
30 × 5	1940: —	248: —	20/5
33 × 5	2145: —	252: —	23/5
32 × 6—5"	2525: —	248: —	20/5
32 × 6	3130: —	332: —	20/6
36 × 6	3470: —	361: —	24/6
34 × 7	4335: —	591: —	20/7
38 × 7	4805: —	674: —	24/7
36 × 8	6155: —	757: —	20/8
40 × 8	6720: —	808: —	24/8
	Heavy Duty		
30 × 5	1745: —	248: —	20/5
32 × 6	2815: —	332: —	20/6

SPECIAL SERVICE EXTRA PLY

ERIKOISVAHVISTETTU ERIKOISKERROKSILLA
SPECIALFÖRSTÄRKT MED SPECIALINLÄGG

Koko Dimension	Ulkorengas Däck	Sisärengas Slang	Vanne Fälg
34 × 7	4820: —	591: —	20/7
38 × 7	5280: —	674: —	24/7
36 × 8	6815: —	757: —	20/8
40 × 8	7390: —	808: —	24/8
38 × 9	9610: —	1019: —	20/8
42 × 9	12195: —	1124: —	24/8-9
40 × 10	13160: —	1458: —	20/8-9