


N:o 1 15. 1. 38.

HINNASTO  
PRISLISTA



TIME TO RE-TIRE  
"GET A FISK"

TRADE MARK REGISTERED U.S. PAT. OFF.

O/Y FISK AUTOKUMI A/B

HELSINKI - HELSINGFORS

Sähköosote: "FISKKUMI" Telegramadr.

Kaisaniemenk. 7 Kaisaniemig.

Puh. 23 414 Tel.

MYyjÄ:

FÖRSÄLJARE:

--

**FISK**

# AIR-FLIGHT

## KUORMA- JA LINJA-AUTON RENKAAT LAST- OCH BUSSRINGAR

Suuruus Dimension	Ulkorengas Däck »Transportation»	Sisärengas Slang	Vanne Fälg	Kuor- mitus kiloja rengasta kohti  Belast- ning kg. pr ring
6.00/20 .....	1630:—	206:—	CT 20	30×5 700
6.50/20 .....	2015:—	308:—	DT 20	30×5 850
7.00/20 .....	2575:—	308:—	DT 20	32×6 1000
7.50/20 .....	3170:—	419:—	—	32×6 1200
8.25/20 .....	4560:—	518:—	—	34×7 1400
9.00/18 .....	5220:—	523:—	—	34×8 1500
9.00/20 .....	5505:—	566:—	—	36×8 1600
9.75/18 .....	6605:—	677:—	—	34×8 1775
9.75/20 .....	7065:—	704:—	—	36×8 1900
10.50/20 .....	7900:—	818:—	—	38×9 2200
30×5 .....	2080:—	206:—	CT 20	— 775
32×6 .....	3130:—	298:—	—	— 1200
32×6 1/2 .....	3385:—	391:—	—	— 1350
34×7 .....	4115:—	419:—	—	— 1500
36×8 .....	6155:—	681:—	—	— 1800
6.00/16 .....	1445:—	140:—	C 16	5.00 F
6.50/16 .....	1995:—	161:—	D 16	5.00 F
7.00/16 .....	2105:—	176:—	D 16	5.50 F
7.50/16 .....	2475:—	251:—	—	5.50 F
» 8 ply .....	2795:—	251:—	—	5.50 F

# AIR-FLIGHT

## MULTI-GRIP

LUMIRENGAS

SNÖDÄCK

Suuruus Dimension	Ulko- rengas Däck	Sisärengas Slang	
30 × 5 .....	2295: —	CT 20	206: —
32 × 6 .....	3285: —	—	298: —
6.50/20 .....	2115: —	DT 20	308: —
7.00/20 .....	2705: —	DT 20	308: —
7.50/20 .....	3330: —	—	419: —
8.25/20 .....	4790: —	—	518: —
9.00/20 .....	6055: —	—	566: —
9.75/20 .....	7770: —	—	704: —
5.25—5.50/17 4-ply .....	1090: —	C 17	186: —
5.25—5.50/17 6- » .....	1295: —	C 17	186: —
6.00—6.25/16 4- » .....	1120: —	C 16	140: —
6.00—6.25/16 6- » .....	1380: —	C 16	140: —
6.50/16 6- » .....	1825: —	D 16	161: —
7.00/16 6- » .....	1920: —	D 16	176: —
7.50/16 6- » .....	2365: —	—	251: —

# AIR-FLIGHT

Vähäpainerenkaita

Extra lågtrycksringar


Suuruus Dimension	Air-Flight		Sisärengas Slang	
	4 ply	6 ply		
5.25/16 .....	830: —	—	B 16	134: —
5.50/16 .....	880: —	—	C 16	134: —
6.00/16 .....	1020: —	1255: —	C 16	140: —
6.25/16 .....	1205: —	1445: —	C 16	140: —
6.50/16 .....	1425: —	1735: —	D 16	161: —
7.00/15 .....	—	1815: —	—	168: —
7.00/16 .....	1525: —	1830: —	—	176: —
7.50/15 .....	—	1965: —	—	227: —
7.50/16 .....	1775: —	2150: —	—	251: —

# AIR-FLIGHT

Suuruus Dimension	Rugby		Fisk Rugged	Heavy Duty	Sisärengas Slang	
	4 ply		4 ply	6 ply		
4.50	17...	—	630:—	—	A 17	128:—
	20...	640:—	—	—	A 20	128:—
	21...	620:—	695:—	855:—	A 21	128:—
4.75	18...	—	—	920:—	B 18	128:—
	19...	665:—	735:—	905:—	B 19	146:—
	20...	670:—	745:—	955:—	A 20	128:—
5.00	17...	—	820:—	—	B 17	128:—
	19...	—	795:—	1000:—	B 19	146:—
	20...	745:—	—	1095:—	B 20	167:—
5.25	17...		880:—	980:—	B 17	128:—
	18...		905:—	1060:—	B 19	146:—
	19...		925:—	1135:—	B 19	146:—
	20...		—	1185:—	B 20	167:—
5.50	17...		990:—	1175:—	C 17	186:—
	18...			1190:—	C 18	190:—
	19...			1220:—	C 19	191:—
	20...			1265:—	CT 20	206:—
6.00	17...			1220:—	C 17	186:—
	18...			1245:—	C 18	190:—
	19...			1305:—	C 19	191:—
	20...			1325:—	CT 20	206:—
	22...			1415:—	—	—
6.50	17...			1540:—	D 17	237:—
	18...			1470:—	D 18	290:—
	19...			1475:—	D 19	299:—
	20...			1500:—	D 20	308:—
7.00	17...			1630:—	D 17	237:—
	18...			1645:—	D 18	290:—
	19...			1710:—	D 19	299:—
	20...			1740:—	D 20	308:—
7.50	17...			2245:—	—	342:—


# Safti-Flight

Suuruus Dimension	Safti-Flight		Sisärengas Slang	
	4 ply	6 ply		
5.50/17 .....	1140:—	—	C 17	186:—
5.50/16 .....	1130:—	—	C 16	134:—
6.00/16 .....	1170:—	1450:—	C 16	140:—
6.25/16 .....	1385:—	1660:—	C 16	140:—
6.50/16 .....	1640:—	2000:—	D 16	161:—
7.00/15 .....	—	2090:—	—	168:—
7.00/16 .....	—	2100:—	—	176:—
7.50/16 .....	—	2470:—	—	251:—



Safti-Flightin kulutuspinna on syväuurteisia liistakkeita. Uurteet ovat täytetyt pehmeällä valkoisella kumilla, muodostaen siten yhtenäisen kulutuspinnan. Tämän rakenteen johdosta on renkaalla se joustava ominaisuus, jossa piilee Safti-Flight-renkaan erinomainen tarttumiskyky.

Safti-Flights slitbana består av ribbor med djupa hack. Hacken hava fyllts med mjukt vitt gummi, och därigenom sammangjutit slitbanan till en solid enhet. Denna konstruktion giver åt ringen den fjärrande egenskap, som är hemligheten med Safti-Flights ofantliga gripförmåga.



18 090